AOE DEPARTMENT SAFETY REVIEW FORM FOR EXPERIMENTAL WORKSPACES

Before experimental activities can begin in any room in the Department of Aerospace and Ocean Engineering, and at least once per year thereafter, a copy of this form must be completed, signed and submitted by the responsible faculty/staff member (usually the principal investigator). Completed forms should be submitted to the AOE Assistant Department Head for Facilities (Michael Philen) and should also be made available to other faculty/staff with relevant expertise, or with direct involvement in the space. Any advice resulting from this interaction should be copied to the Assistant Department Head, as well as being transmitted back to the responsible faculty/staff member is satisfied that all safety concerns have been met the final version of the form should be signed and submitted and a copy prominently displayed on the door to the space and on the department safety website. The responsible faculty/staff member may then authorize experimental activities.

Date of form: August 16, 2024 Form expires (no more than 1 year after form date): August 15, 2025
Name and location of workspace: Nonlinear Systems Lab, ICTAS A/NCFL, 1991 Kraft Dr, Suite 2008
Faculty/staff member responsible for Experimental Workspace and its safety: Craig Woolsey
Office Address: 1991 Kraft Dr, Suite 2008 Phone: 540-449-9182 Email: cwoolsey@vt.edu

GENERAL SAFETY REVIEW

1. The workspace houses the following potentially hazardous experimental rigs. An 'Experimental Rig Safety Form' has been completed, posted, and is current for each of these.

There are no potentially hazardous experimental rigs located in this workspace.

- 2. An evaluation of the above experimental workspace has been performed and the following safety risks have been identified, in addition to those associated with the above facilities (append details where necessary)
- Risk of injury or electrocution using hand or machine tools, including a tabletop drill press and various powered hand tools. Loose clothing can become caught in rotating machinery. Material chips or improperly secured parts can be accelerated to dangerous speeds.
- Risk of injury during flight testing of small unmanned aircraft that are fabricated in the NSL.
- 3. The following actions have been taken to minimize those risks (append details where necessary)

The risks described above have been minimized by developing and ensuring adherence to safe operating rules and procedures. These are described in Attachment 1.

- - General Laboratory Safety
 - HAZCOM RTK
 - Lockout-Tagout Awareness
 - Machine Shop Safety
 - Personal Protective Equipment (PPE) Awareness
 - Portable Fire Extinguishers

	HAZARD COMMUNICATION PLAN hemical Hygiene Plan (CHP) is required for this work space. (The responsible faculty/staff member is required
	tact EHS to make this determination before answering this question)
=	. Continue to step 2 Sign below to cortify that a current and complete Chemical Hygiene Plan has been completed for this
]. Sign below to certify that a current and complete Chemical Hygiene Plan has been completed for this Provide the location of the CHP in the workspace
эрисс.	Trovide the location of the ern in the workspace
2. In si	igning below I am acknowledging that I am responsible for managing the Hazard Communication Plan for
this w	orkspace, specifically, it is my responsibility to ensure:
a)	that all workspace users (include students, staff, other faculty) understand and follow this plan through
	Scheduled HazCom training, all necessary EHS training, and disciplinary action.
b)	, , , , , , , , , , , , , , , , , , , ,
	System at https://www.ehss.vt.edu/ . Click on the Safety Management System on left border. A list of
	hazardous chemicals, downloaded from that site, is appended to the paper copy of this form to be posted
	on the door to the space. Note that consumer products intended for household use, and used in a manner
-1	consistent with that intent need not be listed.
c)	that all containers of classified hazardous chemicals associated with or stored in the workspace are clearly and prominently labeled, in English, with the original manufacturers label. If that label is not available then
	a label based on information from the Safety Data Sheet (product name, danger/warning indication,
	pictogram) that clearly communicates the hazard to the user will be used.
d)	
e)	that Safety Data Sheets (SDS) are available for all chemicals in the attached list are available to lab users at
-,	(give location)
f)	that EHS has been consulted on all other training requirements, and these training requirements have been
	met and are properly recorded on the EHS training website.
g)	that meetings to communicate health hazards associated with the use of all hazardous chemicals and the
	use of proper PPE will be held
	 with all new workspace users before they begin work,
	 with all workspace users when a new chemical or other hazard is added to the workspace (and at
61	least annually)
11)	that all HazCom information and training of employees will at a minimum meet the requirements of OSHA 29 CFR 1910.1200(h), see below .
	29 CFN 1910.1200(II), See below .
Signat	ure of faculty/staff member
respor	nsible for workspace and its safety
	<i>V</i> • • • • • • • • • • • • • • • • • • •
	· · · · · · · · · · · · · · · · · · ·

LIST OF HAZARDOUS CHEMICALS

<This page must be replaced with a printout of the current 'Registration Summary' from the from the completed EHSS Chemical Registration System inventory>

Page 3 of 4

Form version 3-24-14

OSHA CFR 29 1910.1200(h)

1910.1200(h)

Employee information and training.

1910.1200(h)(1)

Employers shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard the employees have not previously been trained about is introduced into their work area. Information and training may be designed to cover categories of hazards (e.g., flammability, carcinogenicity) or specific chemicals. Chemical-specific information must always be available through labels and safety data sheets.

1910.1200(h)(2)

Information. Employees shall be informed of:

1910.1200(h)(2)(i)

The requirements of this section;

1910.1200(h)(2)(ii)

Any operations in their work area where hazardous chemicals are present; and,

1910.1200(h)(2)(iii)

The location and availability of the written hazard communication program, including the required list(s) of hazardous chemicals, and safety data sheets required by this section.

1910.1200(h)(3)

Training. Employee training shall include at least:

1910.1200(h)(3)(i)

Methods and observations that may be used to detect the presence or release of a hazardous chemical in the work area (such as monitoring conducted by the employer, continuous monitoring devices, visual appearance or odor of hazardous chemicals when being released, etc.);

1910.1200(h)(3)(ii)

The physical, health, simple asphyxiation, combustible dust, and pyrophoric gas hazards, as well as hazards not otherwise classified, of the chemicals in the work area;

1910.1200(h)(3)(iii)

The measures employees can take to protect themselves from these hazards, including specific procedures the employer has implemented to protect employees from exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used; and,

1910.1200(h)(3)(iv)

The details of the hazard communication program developed by the employer, including an explanation of the labels received on shipped containers and the workplace labeling system used by their employer; the safety data sheet, including the order of information and how employees can obtain and use the appropriate hazard information.